CONNECTORS


Model Number: MEICO1 Product Name: Male IEC connector C14

This product is manufactured for the IT industry where a 10amp connection is required, ie. computers, server boxes or UPS's

PRODUCT SPECIFICATIONS

SANS 60320, SANS 60799, SANS 60227-5, SANS 60884-1, SANS 1411		
MAX AMP RATING	10A	
VOLTAGE	250V	
APPROVALS	DEKRA, VDE, FI, CEBEC	
CABLE	H05VV-F 3G0, 75 - 1mm ²	







Model Name: ICO1 Product Name: Female IEC connector C13

GROUNDED

GROUNDED

This product is manufactured for the IT industry where a 10amp connection is required, ie. computers, server boxes or UPS's



PRODUCT SPECIFICATIONS

SANS 60320, SANS 1574, SANS 602277-5, SANS 60799 SANS 60884-1, SANS 1411

MAX AMP RATING	10A
VOLTAGE	250V
APPROVALS	DEKRA
CABLE	H05VV-F 3G0, 75 - 1mm ²
R=3.5 CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO H CO CO H CO CO H CO CO CO CO CO CO CO CO CO CO	4 CAV CIEC TOOL No 093



CONNECTORS


Model Name:MCL01Product Name:Female Clover connector C5


GROUNDED

This product is manufactured for the IT industry where a 2.5amp connection is required, ie. charging units for laptop.



PRODUCT SPECIFICATIONS		
SANS 60320, SANS 1574, SANS 60799		
SANS 60884-1, SANS 1411		
MAX AMP RATING	2,5Amp connector	
VOLTAGE	250V	
APPROVALS	VDE, DEKRA, FI, CEBEC	
CABLE	H05VV-F 3G0, 75 - 1mm ²	









Contact Us



0861102739 / APEX T +27 11 746 7300

11-12 Apex Road
Apex Industrial Sites
Benoni 1540


Sales@apex-leads.co.za


CONNECTORS

Model Number: ICO1 Product Name: Female Hot IEC connector C15

The Hot IEC Female connector is used to power "Hot" appliances. eg. Electric kettles. The connector is made of Polybutylene Terephthalate (PBT) and flame resistant with 30% glass fibre which can handle high heat, the power supply and appliance generates. The dedicated slot underneath the connector is designed that no normal IEC power connector can be used on the appliance.

PRODUCT SPECIFICATIONS		
SANS 60320-1:2008		
MAX AMP RATING	10A	
VOLTAGE	250V	
CABLE	H05VV-F 3G0, 75 - 1mm ²	











Contact Us



0861102739 / APEX T +27 11 746 7300 11-12 Apex Road
Apex Industrial Sites
Benoni 1540



Sales@apex-leads.co.za

GROUNDED
